

GOLF & UTV PERFORMANCE TIRE CATALOG

2025

WE DIDN'T INVENT TIRES,
WE JUST MAKE THEM BETTER.®





# XCOMP GOLF X/T

WITH A LEADING-EDGE DESIGN AND TREAD PATTERN, THE X COMP® GOLF X/T OFFERS AN AGGRESSIVE DESIGN WHILE ALSO BEING TURF FRIENDLY FOR THE GOLF COURSE. MAJOR PERFORMANCE FOR A MAJOR CHAMPION!

- TURF FRIENDLY DESIGN THAT IS EXTREMELY QUIET
- REDUCED SLIPPAGE ON GRASS AND WET SURFACES
- STEEL-BELTED RADIAL CONSTRUCTION FOR IMPROVED HANDLING AND PERFORMANCE
- EXCELLENT DURABILITY AND TREAD LIFE
- ALL X COMP® GOLF X/T'S COVERED BY U.S. PATENT NO.: D973,576 S

| TIRE SIZE | SPEED<br>SYMBOL | PLY | OVERALL<br>DIAMETER<br>(IN) | SECTION<br>WIDTH<br>(IN | TREAD<br>DEPTH<br>(32NDS) | LOAD<br>CAPACITY<br>(LBS) |
|-----------|-----------------|-----|-----------------------------|-------------------------|---------------------------|---------------------------|
| 22X11R12  | J               | 4   | 22                          | 11.1                    | 9                         | 640                       |
| 23X10R12  | J               | 4   | 23                          | 10                      | 9                         | 805                       |
| 205/35R12 | Ν               | 4   | 17.7                        | 8.3                     | 9                         | 739                       |
| 215/40R12 | Ν               | 4   | 18.8                        | 8.6                     | 9                         | 739                       |
| 215/50R12 | Ν               | 4   | 20.5                        | 8.6                     | 9                         | 937                       |
| 23X10R14  | F               | 4   | 23                          | 10                      | 9                         | 992                       |
| 205/35R14 | F               | 4   | 19.6                        | 8.3                     | 9                         | 853                       |
| 205/50R15 | Ν               | 4   | 23.1                        | 8.4                     | 9                         | 1168                      |
| 23X10R15  | J               | 4   | 23                          | 10                      | 9                         | 760                       |



# XCOMP GOLF X/T





# **COMPARISON CHART**

SEE WHY THE X COMP GOLF X/T IS THE BEST STEEL-BELTED RADIAL GOLF CART TIRE ON THE MARKET!



| <b>Golf Cart Tire</b> | DOT      | Turf Friendly | Off-Road    | Noise |
|-----------------------|----------|---------------|-------------|-------|
|                       |          | <u> </u>      | $\triangle$ | ((    |
| X COMP GOLF X/T       | <b>Ø</b> | <b>Ø</b>      | 0           | QUIET |
| GPLR                  | <b>Ø</b> | €3            | 0           | LOUD  |
| RHOX ROAD HAWK        | <b>Ø</b> | <b>Ø</b>      | 8           | QUIET |
| RHOX MOJAVE           | <b>Ø</b> | €3            | 0           | LOUD  |
| KENDA KRUZER          | <b>Ø</b> | <b>Ø</b>      | 8           | QUIET |
| GTW NOMAD             | <b>Ø</b> | €3            | <b>Ø</b>    | LOUD  |
| GTR FUSION            | 0        | 0             | 8           | QUIET |



















**JON RAHM 2023 MASTERS CHAMPION** 2021 US OPEN CHAMPION







RACE PROVEN TIRES













THE ATR TIRES ARE BUILT FOR ALL ATV/UTV RECREATIONAL VEHICLES. THEY ARE DESIGNED WITH TWO PLY SIDEWALLS FOR MAXIMUM FLEXIBILITY AND CONTACT IN ALL TYPES OF TERRAINS.

OUR ATR TIRES ARE RACE PROVEN!

## HIGH PERFORMANCE COMPOUND

FEATURES IMPROVED WET AND DRY TRACTION AS WELL AS EXCELLENT WEAR AND TEAR RESISTANCE ESPECIALLY IN OFF-ROAD CONDITIONS.

#### TREAD BLOCK CORNERS

CONTOURED CORNERS OF THE INNER RIB BLOCKS GIVE INCREASED DRIVING STABILITY ON UNPAVED ROAD CONDITIONS. RIB BLOCK DESIGNED FOR EFFECTIVE SELF-CLEANING.

# SHOULDER/SIDEWALL

AGGRESSIVE TREAD AND SIDEWALL DESIGN ENHANCES TRACTION IN ALL OFF-ROAD CONDITIONS. REINFORCED SHOULDER GROOVES ADD ADDTIONAL PERFORMANCE WITHOUT COMPROMISING TREAD BLOCK STIFFNESS.

| TIRE SIZE | LOAD INDEX<br>(S/D) | SPEED<br>SYMBOL | PLY | OVERALL<br>DIAMETER<br>(IN) | SECTION<br>WIDTH<br>(IN) | TREAD<br>DEPTH<br>(32NDS) | LOAD<br>CAPACITY<br>(S/D) LBS |
|-----------|---------------------|-----------------|-----|-----------------------------|--------------------------|---------------------------|-------------------------------|
| 28X10R14  | 86                  | Ν               | 10  | 28                          | 10                       | 20                        | 1165                          |
| 30X10R14  | 90                  | Ν               | 10  | 30                          | 10                       | 20                        | 1320                          |
| 32X10R14  | 95                  | Ν               | 10  | 32                          | 10                       | 20                        | 1520                          |
| 32X10R15  | 94                  | Ν               | 10  | 32                          | 10                       | 20                        | 1475                          |
| 35X10R15  | 97                  | Ν               | 10  | 34.5                        | 10                       | 18                        | 1609                          |







# XCOMPA/TATR



THE A/T ATR TIRES ARE BUILT FOR ALL ATV/UTV RECREATIONAL VEHICLES. THE END RESULT IS A UTV TIRE THAT IS STRONG, STABLE. AND EXTREMELY DURABLE. A/T ATR TIRES ARE RACE PROVEN!

# HIGH PERFORMANCE COMPOUND

FEATURES IMPROVED WET AND DRY TRACTION AS WELL AS EXCELLENT WEAR AND TEAR RESISTANCE ESPECIALLY IN OFF-ROAD CONDITIONS.

## ANGLED GROOVES AND Z-SHAPED SIPES

THE ULTIMATE RACE TIRE. THE A/T ATR HAS AN ANGLED LATERAL AND LONGITUDE GROOVE STUCTURE TO PROMOTE BETTER DRAINAGE FOR IMPROVED BREAKING AND HANDLING ON ALL TERRAINS AND IN ALL WEATHER CONDITIONS, PERFECT FOR BOTH RACING AND TRAIL USE.

## PUNCTURE RESISTANT SHOULDER AREA

THE FULLY WRAPPED A/T ATR SHOULDER HAS A ROUGH VISUAL SENSE AND FUNCTIONALITY THAT PREVENTS SHARP CUTS, SCRATCHES, AND IMPACT DAMAGE. THE A/T ATR ALSO PROVIDES ADDITIONAL TRACTION IN MUDDY AND SNOWY CONDITIONS.

| TIRE SIZE | LOAD INDEX<br>(S/D) | SPEED<br>SYMBOL | PLY | OVERALL<br>DIAMETER<br>(IN) | SECTION<br>WIDTH<br>(IN) | TREAD<br>DEPTH<br>(32NDS) | LOAD<br>CAPACITY<br>(S/D) LBS |
|-----------|---------------------|-----------------|-----|-----------------------------|--------------------------|---------------------------|-------------------------------|
| 33X10R15  | 95                  | Ν               | 10  | 32.5                        | 10.0                     | 15                        | 1521                          |
| 35X10R15  | 97                  | Ν               | 10  | 34.5                        | 10.0                     | 15                        | 1609                          |











THE R/S OFFERS THE LIGHTEST WEIGHT OPTION WITH A STRONG AND DURABLE RACE COMPOUND. THE R/S WAS BUILT SPECIFICALLY FOR UTV RACERS WITH THE FEEDBACK AND TESTING PROVIDED BY OUR X COMP® BRAND AMBASSADOR TEAM.

#### HIGH PERFORMANCE DESIGN

CUTTING EDGE CONSTRUCTION AND TREAD DESIGN GIVES THE X COMP® R/S THE LIGHTEST WEIGHT OPTION IN THE ENTIRE UTV MARKET.

## SUPERIOR SHOULDER

THE TIRE SHOULDER INCORPORATES X COMP'S® PROVEN AGGESSIVE AND FUNCTIONAL DESIGN, GIVING RACERS THE PROTECTION AND TRACTION REQUIRED FOR SUPERIOR PERFORMANCE.

# RACE PROVEN DESIGN

THE X COMP® R/S HAS A STRONG AND DURABLE COMPOUND WITH DECREASED WEIGHT TO GIVE RACERS THE EXTRA COMPETITIVE EDGE.

| TIRE SIZE | LOAD INDEX<br>(S/D) | SPEED<br>SYMBOL | PLY | OVERALL<br>DIAMETER<br>(IN) | SECTION<br>WIDTH<br>(IN) | TREAD<br>DEPTH<br>(32NDS) | LOAD<br>CAPACITY<br>(S/D) LBS |
|-----------|---------------------|-----------------|-----|-----------------------------|--------------------------|---------------------------|-------------------------------|
| 33X9.5R15 | 95                  | N               | 10  | 32.5                        | 9.4                      | 15                        | 1521                          |





#### 100% FREE REPLACEMENT WARRANTY

American Pacific Industries, Inc (API) hereby warrants every new Gladiator Performance) tire for workmanship and material related conditions for the life of the original tread of a new tire less 2/32". The life of the original usable tread ends when the tire tread has worn down with only 2/32" remaining as measured in the fastest wearing groove, at which point the tire is considered to be fully worn out. API will refund the cost of a replacement Gladiator tire. Applicable taxes on the new tire and costs of mounting and balancing service shall be borne by the owner. All Exclusions listed below void this 100% Free Replacement Warranty. Conditions and coverage are subject to change at any time and without notice.

- A) The Gladiator H/P tire must be replaced with a comparable new Gladiator H/P tire by an authorized Gladiator dealer. Copy of invoice will be required.
- B) 100% free replacement applies to new first quality tires. Blemished tires, retreads and road hazard tires are specifically excluded (see Road Hazard Warranty below),
- C) Adjustments on ride complaints or out of round tires are excluded from this warranty if they are worn past 2/32" from the original usable tread of the new tire.

#### **SATISFACTION ASSURED**

All API passenger and LT tires are covered by the 30 Day "Satisfaction Assured" trial period. If, for any reason, other than an excluded condition listed in the respective tire's Standard Warranty, you are not satisfied with your new set of tires within 30 days of date of purchase - or the first 2/32nds of tread wear as measured in the fastest wearing groove (whichever comes first) - you may exchange all or any one of them for the same number of the same design or similar design API manufactured tires. Mounting and balancing are free of charge (excluding online orders). Owner pays all applicable taxes. If you wish to exchange for another set of tires, which is at a lower cost, you will receive a credit for the difference in cost.

This Satisfaction Assurance guarantee only applies to the original new set of manufactured passenger and LT tires purchased and not to the replacement tires under this guarantee.

#### **Administration of the Assured Satisfaction Warranty**

Within the 30 days from the date of purchase or the first 2/32nds tread wear as measured in the fastest wearing groove, you must return your tires to the authorized API brand tire dealer where you purchased your tires. You must present the original sales receipt and proof-of-purchase. Reason for dissatisfaction must be explained to the dealer (i.e., appearance, ride, handling, etc.) and noted on the adjustment claim form.

#### **EXCLUSIONS**

- A) All Gladiator warranties are limited to the original purchaser and the original vehicle on which they are mounted, and are not assignable to subsequent purchasers or vehicles.
- B) The warranties listed above are applicable only in the United States and Canada and any tire used or equipped on a vehicle registered or operated outside the United States and Canada are not covered by these warranties.
- C) The following is not covered by the warranties listed above:
  - 1) Tire branded or marked "Non-Adjustable" (N/A) or "Blemished" (Blem), or previously adjusted.
  - 2) Failure, damage or irregular wear due to:
    - a) fire, accident or vandalism:
    - b) mechanical condition of vehicle, including improper alignment, improper inflation, wheel imbalance, faulty shocks or brakes;
    - c) misapplication of tire; or
    - d) alteration of the tire, addition of foreign material, transfers from one vehicle to another or any previous damages and/or repairs.
  - 3) Cost of mounting and balance service.
  - 4) Loss of time or use, inconvenience, or any incidental or consequential damages except as prohibited by law.
- 5) Adjustment on out-of-balance or out-of-round tire is allowed only during the first 2/32" of the original tread as measured In the fastest wearing groove. A set of all four (4) tires from the same vehicle claimed for out-of-round will not be accepted.

  D) Any Gladiator X Comp tire produced five (5) years from date of manufacture as determined by the DOT/Serial number are not covered under the warranties listed above.

#### REPAIRS AND RETREADING: RATING CHANGES AND CAUTIONS

- A) Repaired, retreaded or altered Gladiator tire with "Speed Rating(s)" no longer retain their "Speed Rating".
- B) If the aforementioned tire(s) is repairable, see the recommended repair procedures used by the tire dealer(s) for repairing tubeless passenger car radial tires as detailed and illustrated in the RMA puncture repair procedures.
- C) Repairs must be restricted to the tread area inside a half inch of the sidewall of the tire.
- D) Do not repair any punctures that are larger than 1/4" in diameter.

#### **OWNER'S OBLIGATIONS**

In order to be eligible for Gladiator X Comp Limited Warranty service, the dealer/owner must:

- A) At the time of purchase, the tires must be properly installed, correct air pressure set and the wheels balanced. Every 6,000 miles the tires must be rotated, proper air pressures set and the wheel alignment checked.
- B) Any tire to be adjusted must be presented to an authorized Gladiator dealer.
- C) Present proof of purchase to the satisfaction of the dealer.
- D) Complete and sign a Gladiator Warranty Claim Form which is available at any authorized dealer.
- E) Pay the amount due on a new tire, less the amount of credit, including taxes, mounting and balancing charges or cost of other services ordered.

#### **DISCLAIMER**

This warranty, or any warranty stated or referred to herein, is exclusive and in lieu of any other warranty regarding the quality of Gladiator Tires, whether expressed or implied, and remedies for breach thereof shall be limited to those specifically provided herein. This warranty only applies the 48 contiguous continental United States, Alaska, Hawaii, District of Columbia and Canada.